



PROMOTIVE BLACK

Key benefits

- Ideal for vehicles with lower energy requirements
- Standard OE technology and low water consumption enables entry level to reduce TCO
- Meets EN requirements (EN 2) standard and vibration resistance (V1)

For more information visit www.varta-automotive.com

ORDER INFORMATION



European Type No. (ETN):	625 014 072
Article Number:	625 014 072 A74 2
Short Code:	J2
Barcode:	4016987129135
Packaging Unit:	1
Quantity per Pallet:	24

TECHNICAL INFORMATION


Voltage [V]:	12	Base Hold-down:	B00
Battery Capacity [Ah]:	125	Layout:	1
Cold Cranking Amps (CCA), EN [A]:	720	Terminal Types:	1
Length [mm]:	349	Case Size:	WOR7
Width [mm]:	175	Weight filled (kg):	31,220
Height [mm]:	290		

DRAWINGS

B00



LABYRINTH LID TECHNOLOGY



Anti-spill

The unique Labyrinth lid design in every Promotive Silver and Blue battery provides 100% spill protection, even at up to 90° tilt. Here's how it works:

- 1** Water vapour condenses on the battery lid.
- 2** Labyrinth lid design ensures water flows safely back into the battery.



Safety caps

The robust safety caps work like a breakwater inside the battery and ensure maximum spill protection even when faced with strong vibrations.

Central degassing

Integrated single point venting in the Labyrinth lid allows safe discharge of any gasses produced, while Integral flame arrestors protect the battery from sparks and flames.

- 3** Integral flame arrestors.
- 4** Single point venting

Acid reserve design Super Heavy Duty (SHD) technology




Conventional battery with traditional design.



New design with deeper-set electrodes for greater acid capacity.

Calcium-silver technology

The calcium-silver technology housed in every Promotive Silver and Promotive Blue battery delivers in-exhaustible power reserves to meet any challenge. The grid alloy, unique in Europe, is formed of a positive calcium-silver grid and a negative calcium grid, reducing the battery's water consumption to a minimum. The use of thicker electrodes also drastically increases cyclic stability.



5 Positive grid: calcium-silver.

6 Negative grid: calcium.

Super Heavy Duty (SHD) technology

SHD technology, in every Promotive Silver battery, brings together our optimised grid design and micro glass pocket separator. This robust technology is ideal for HGVs, trucks, buses and heavy construction vehicles that need to work hard day after day.

The glass mat provides three times the cyclic stability and ten times the vibration resistance of conventional batteries. While its unique design keeps the electrolyte in close contact with the grid at all times. So you get the highest performance, even in the coldest starting conditions.



Criteria	Promotive Silver	Promotive Blue	Promotive Black
No. of Battery Types	3 Types	5 Types	36 Types
Reduction potential in Total Cost of Ownership (TCO)*	Best	Better	Good
Technology	Labyrinth Lid	Labyrinth Lid	Conventional Lid
Grid Alloy	Calcium Silver	Calcium Silver	Hybrid
Vibration Resistance	Long Life Super Heavy Duty (EN4 V3 Standard)	Long Life Heavy Duty (EN3 V2 Standard)	Long Life (EN2 V1 Standard)
Quality Level	Original equipment	Original equipment	Original equipment
Self Discharge Performance* (shelf life)	18 Months	15 Months	12 Months
Water Consumption	Extremely Low	Very Low	Low

* Compared to conventional non maintenance-free batteries